

GPDB

301 302 303 304 312 1 11 12

A15-F A4-W-S A3-Q-T A2-PT2

RT71000Z
RT71000Z
RT71000Z
RT71000Z
RT71000Z
RT71000Z
RT71000Z

TOR002D-320

RTE24005F
Potter &
Brumfield
CHINA
5 VDC
8A/250VAC



US



* 1307VT40262 *



Model # GPD-12-220

Serial # Z 112828

Mfg date: 11-Sep-13

Line Volt	208-240V	Phase/Hz	1 / 50-60
Full charge	10A MAX	Max.Press.	300 PSI
V DC	12	Temp.	4° to 40° C
Amp.	1.5	DWG N°	A 112828-S1
NEMA	2		
Options	C19,		
EMC	Emission Compl. Env.B / Immunity Compl. Env.A		

DIESEL ENGINE FIRE PUMP CONTROLLER



Project: _____

Customer: _____

Engineer: _____

Pump Manufacturer: _____

Drawing Submittal Package

Model GPD

Diesel Engine Driven Fire Pump Controller



Contents:

- Submittal Data Sheets
- Dimensional Data
- Wiring Schematics
- Field Connections



NOTE: The drawings included in this package are for controllers covered under our standard offering. Actual AS BUILT drawings may differ from what is shown in this package

July 2012



N.Y.C.
APPROVED




DIESEL ENGINE FIRE PUMP CONTROLLER

12Vdc or 24Vdc NEGATIVE GROUND

MODEL : GPD

Wiring schematic

BUILT TO THE LATEST EDITION OF THE NFPA 20 STANDARD



Drawing for information only.
 Manufacturer reserves the right to modify this drawing without notice.
 Contact manufacturer for "As Built" drawing.



REV.	DATE	DESCRIPTION	DES.	VER.	APP.	Drawing No.
1.	12/03/30	Correct Signal Input	DES.			GPD-WS500/E
0.	11/10/12	FIRST ISSUE	VER.			
			APP.			